



Contributing to the health and happiness of humankind  
[www.ildong.com/eng](http://www.ildong.com/eng)

# PRODUCT LIST



**Head office**  
2, Baumoe-ro 27-gil, Seocho-gu, Seoul, Korea Tel : +82-2-526-3114 Fax : +82-2-526-3031  
**Factory**  
Finished products : 25, Gongdan 1-ro, Anseong-si, Gyeonggi-do, Korea  
Raw materials : 53, Gongdan-ro 98 beon-gil, Heungdeok-gu, Cheongju-si, Chungcheongbuk-do, Korea  
E-mail address : [export@ildong.com](mailto:export@ildong.com) Home page : [www.ildong.com/eng](http://www.ildong.com/eng)



## Philosophy


A leading global organization that helps people live healthier and happier lives



## Vision

As a sustainable total healthcare company with over 1 tril. won in sales and 0.1 tril. won in income, we will perform innovative R&D for new solutions, become the most trusted partner for health professionals, and build the most valuable consumer brand.

## ILDONG Group



## Overview


<b>Establishment</b> March 14, 1941	<b>Employees</b> 1,319 (Jul, 2023)	<b>Number of patents</b> 125 patents (ILDONG Group)
<b>Turnover</b> US\$580M (2022)	<b>Growth rate</b> CAGR 5.57% (2018-2022)	<b>Head office</b> 2, Baumoe-ro 27-gil, Seocho-gu, Seoul, Korea
<b>R&amp;D and Plant</b> 1 central R&D center 4 manufacturing plants	<b>Branches of domestic sales</b> 15 branches for hospital sales 21 branches for clinic sales 12 branches for pharmacy sales	<b>Main business</b> Manufacturing and sales of pharmaceutical products & API

## Main Products


<b>48%</b>	<b>ETC</b>  Besifovir Tab. Pemetrexed Inj.	<b>42%</b>	<b>OTC</b>  Zea mays Tab. Active Multivitamin Tab.
<b>6%</b>	<b>Food supplement</b>  Vitamin Complex Probiotics	<b>4%</b>	<b>Cosmetic</b>  Probiotic Mask Probiotic Serum

## R&D Center

Becoming a leading global pharmaceutical company through development of innovative new drugs



## R&D Source of Innovation



Strong in-house medicinal chemistry capability



Empowered lab-venture agile organization




Partnership with world-class CROs and firms



Uncompromised quality and speed, cost-effective

## R&D Expense



## Manufacturing Facilities



### General facility(Anseong)

1. Automated facilities and professional manpower
2. Stabilized manufacturing process
3. PIC/s GMP compliance
4. Capacity(yr) : Tablet(11.3B), Capsule(2.5B), Ampoule(94M), Liquid(74M), Lyophilized(18M)
5. Floor area 25,101m<sup>2</sup>

### Anticancer(Anseong)

1. Dedicated facility for cytotoxic anticancer drugs
2. All formulation available
3. PIC/s GMP compliance
4. Capacity(yr) : Tablet(100M), Capsule(300M), Lyophilized(0.55M), Liquid(30M)
5. Floor area 2,344m<sup>2</sup>



### Cephalosporin(Anseong)

1. The biggest capacity of lyophilized cephalosporin injection in Korea
2. All formulation available
3. PIC/s GMP compliance
4. Capacity(yr) : Tablet(500M), Capsule(660M), Lyophilized(11M), Granule(0.7M KG)
5. Floor area 7,587m<sup>2</sup>

### API(Cheongju)

1. Synthesis plant for high-quality API
2. Accreditation certificate of foreign drug manufacturer(Japan)
3. PIC/s GMP and PMDA compliance
4. Floor area 9,761m<sup>2</sup>
5. Manufacturing products: API(Chemical synthesis)






### Probiotics(Poseung)

1. The biggest fermentation & extraction facilities in Korea
2. Certified GMP, HACCP, ISO14001
3. Patented technology "Quadruple coating" & "Tyndallization"
4. Customized formulation available
5. Floor area 9,761m<sup>2</sup>
6. Manufacturing products: Probiotics

### HA & Dermal Filler(Cheongju)

1. Raw material manufacturing site approved aseptic GMP
2. Dermal filler manufacturing site approved GMP
3. Manufacture high purity HA & Dermal filler
4. Floor area 4,837m<sup>2</sup>
5. Manufacturing products: Sodium Hyaluronate(Raw material, Dermal filler)


### Gastrointestinal system










Product name	Picture	Classification	API	Packing unit
<b>BESIVO</b> Tablets		Hepatitis B virus treatments	Besifovir dipivoxil 150mg	30T / Bottle
<b>VICURE</b> Tablets		Hepatitis B virus treatments	Entecavir 0.5mg, 1mg	30T / Alu-Alu
<b>RABIET DUO</b> Tablets		Proton pump inhibitor / Antacid	Rabeprazole sodium/ Sodium bicarbonate 10/500mg, 20/500mg	28T / Bottle

### Anticancer

<b>SPECSSA</b> Tablets		Targeted cancer therapy	Gefitinib 250mg	30T / PTP
<b>ALGIK</b> Injection		Antimetabolite	Pemetrexed 100, 500mg	1V / Box
<b>XELOBIG</b> Tablets		Antimetabolite	Capecitabine 150, 500mg	60T / PTP 120T / PTP (500mg)
<b>ID GEMCITABINE</b> Injection (Lyophilized)		Antimetabolite	Gemcitabine HCl 228mg, 1,140mg(200mg, 1g as Gemcitabine)	1V / Box
<b>ID FLUOROURACIL</b> Injection (Liquid)		Antimetabolite	Fluorouracil 50.0mg/mL (5mL, 10mL, 20mL)	1V / Box 10V / Box

### Cardiovascular system

<b>XARELIBAN</b> Tablets		Antithrombotics, Antiplatelet agents.	Rivaroxaban 2.5mg, 10mg, 15mg, 20mg	30T / PTP
-----------------------------	---	--	--	-----------

Product name	Picture	Classification	API	Packing unit
<b>PITA-Q</b> Tablets		Antihyperlipidemic agents	Pitavastatin calcium 2mg, 4mg	30T / Bottle 100T / Bottle (2mg)
<b>ROVETIN</b> Tablets		Antihyperlipidemic agents	Rosuvastatin 5mg, 10mg, 20mg	30T / Bottle 100T / Bottle
<b>DROPTOP</b> Tablets		Antihyperlipidemic agents	Rosuvastatin/Ezetimibe 5/10mg, 10/10mg, 20/10mg	30T / Alu-Alu
<b>MICATERE</b> Tablets		Antihypertensive agents	Telmisartan 40mg, 80mg	30T / Alu-Alu
<b>MICATERE PLUS</b> Tablets		Antihypertensive agents	Telmisartan/Hydrochlorothiazide 40/12.5mg, 80/12.5mg, 80/25mg	30T / Alu-Alu
<b>TELOSTOP</b> Tablets		Antihypertensive/ Antihyperlipidemic agents	Telmisartan/Rosuvastatin 40/5mg, 40/10mg, 40/20mg 80/5mg, 80/10mg, 80/20mg	30T / Alu-Alu
<b>TELOSTOP PLUS</b> Tablets		Antihypertensive/ Antihyperlipidemic agents	Telmisartan/Amlodipine/ Rosuvastatin 40/5/5mg, 40/5/10mg, 80/5/5mg, 80/5/10mg	30T / Alu-Alu
<b>TWOTOPS</b> Tablets		Antihypertensive agents	Telmisartan/Amlodipine 40/5mg, 40/10mg, 80/5mg, 80/10mg	30T / Alu-Alu
<b>TWOTOPS PLUS</b> Tablets		Antihypertensive agents	Telmisartan/Amlodipine/ Hydrochlorothiazide 40/5/12.5mg, 80/5/12.5mg, 80/5/5mg, 80/10/12.5m	30T / Alu-Alu

Product name	Picture	Classification	API	Packing unit
<b>DIOPASS</b> Tablets		Antihypertensive agents	Valsartan 40mg, 80mg, 160mg	28T / PTP 98T / PTP (80mg, 160mg) 30T / Bottle (40mg, 80mg)
<b>CO-DIOPASS</b> Tablets		Antihypertensive agents	Valsartan/Hydrochlorothiazide 80/12.5mg, 160/12.5mg	28T / PTP
<b>BIFORGE</b> Tablets		Antihypertensive agents	Amlodipine/Valsartan 5/80mg, 5/160mg, 10/160mg	28T / Alu-Alu
<b>AMLOTEN</b> Tablets		Antihypertensive agents	Amlodipine 5mg	30T / Bottle 300T / Bottle
<b>BENDIPINE</b> Tablets		Antihypertensive agents	Benidipine 4mg, 8mg	30T / Bottle 100T / Bottle (4mg) 300T / Bottle
<b>SETORAM</b> Tablets		Antihypertensive agents	Torsemide 2.5mg, 5mg, 10mg	30T / Bottle 100T / Bottle (5mg)
<b>L-CARN</b> Tablets		Miscellaneous cardiovascular system	Levocarnitine 330mg	60T / Alu-Alu


### Endocrine & Metabolic system

<b>SITAMONO</b> Tablets		Antidiabetic agents	Sitagliptin HCl hydrate 100mg	28T / PTP
<b>SITACOMBI</b> Tablets		Antidiabetic agents	Sitagliptin HCl hydrate/ Metformin HCl 50/500mg, 50/850mg, 50/1,000mg	56T / PTP 30T / Bottle 200T / Bottle
<b>SITACOMBI XR</b> Tablets		Antidiabetic agents	Sitagliptin HCl hydrate/ Metformin HCl 50/500mg, 50/1,000mg, 100/1,000mg	28T / Bottle 56T / Bottle 200T / Bottle


### Antibiotics

Product name	Picture	Classification	API	Packing unit
<b>CEFACLOR</b> Capsules		Second-generation cephalosporins	Cefaclor 250mg (potency)	30C / Bottle 100C / PTP 300C / Bottle
<b>CEFACLOR</b> Dry Syrup		Second-generation cephalosporins	Cefaclor 25mg/mL (150mL)	150mL / Bottle
<b>EFFEXIN</b> Tablets		Fluoroquinolones	Ofloxacin 100mg, 200mg	10T / PTP (200mg) 30T / Bottle (100mg) 300T / Bottle (100mg)
<b>EFFEXIN</b> Injection		Fluoroquinolones	Ofloxacin 200mg (2mg/mL)	1V / Box
<b>EFFEXIN</b> Ophthalmic Solution		Fluoroquinolones	Ofloxacin 15mg (3mg/mL)	5mL / Bottle
<b>EFFEXIN</b> Otic Solution		Fluoroquinolones	Ofloxacin 15mg (3mg/mL)	5mL / Bottle
<b>EFFEXIN</b> Ophthalmic Ointment		Fluoroquinolones	Ofloxacin 3mg/g	3.5g / Tube
<b>LEVOFEXIN</b> Tablets		Fluoroquinolones	Levofloxacin 100mg, 250mg, 500mg	30T / Bottle 100T / Bottle
<b>LEVOFEXIN</b> Ophthalmic Solution		Fluoroquinolones	Levofloxacin 25mg(5mg/mL)	5mL / Bottle
<b>LEVOFEXIN</b> Injection		Fluoroquinolones	Levofloxacin 250mg, 500mg, 750mg	1V / Box
<b>TEICOCIN</b> Injection		Glycopeptides	Teicoplanin 200mg, 400mg	1V + 1A(solvent) / Box
<b>ID AMIKACIN</b> Injection		Aminoglycosides	Amikacin sulfate 250mg, 500mg	10V / Box
<b>TAZOLACTAM</b> Injection		Penicillins/ Beta-lactamase inhibitors	Piperacillin sodium/ Tazobactam sodium 2.25g, 4.5g	10V / Box



### Respiratory system

Product name	Picture	Classification	API	Packing unit
MONITAZONE Nasal Spray		Corticosteroids for nasal use	Mometasone furoate 0.5mg/mL	18mL / Bottle (140 sprays)



### Central Nervous system

MEMANTO Tablets		Anti-dementia	Memantine HCl 10mg	30T / Bottle 100T / Bottle 100T / PTP
--------------------	---	---------------	--------------------	---


### Urogenital system

UROCARE Tablets		Antimuscarinic	Solifenacin succinate 5mg, 10mg	30T / PTP
TONADE Tablets		PDE5 inhibitors	Tadalafil 5mg, 10mg, 20mg	28T / PTP (5mg) 4T / PTP (10, 20mg)

### Intra-articular injection

HYNALUBON Injection		Treatment of periartthritis of shoulder and gonarthrosis	Sodium hyaluronate 25mg/2.5mL	10PFS / Box
HYNALUBON PLUS Injection		Treatment of periartthritis of shoulder and osteoarthritis of the knee joint	Sodium hyaluronate 20mg/2mL	3PFS / Box


### Dermal filler

HYALEVE No.1 No.2 No.3 No.4		Temporary improvement of adult facial wrinkles through physical restoration	Sodium hyaluronate 20mg/mL, Lidocaine 3mg/mL	1PFS / Box
---	---	---	---	------------

**No.1** Top selling Multi Vitamin brand in Korea  
(2020 IQVIA)

# ARONAMIN<sup>®</sup>

## Since 1963



Aronamin Eye Plus



Aronamin C Plus



Aronamin Silver Active



Aronamin E max Plus



Aronamin Silver Premium

### Periodontal Disease



### Intestinal tonic, Anti-diarrheal Agent



### Cold Antipyretic Analgesics



### Cold Antipyretic Analgesics



### Cold Antipyretic Analgesics



#### DEN Q Tablets

**Composition** (Each tablet contains)  
Titrated extract of the unsaponifiable fraction *zea mays L.* 35.0mg(7.0mg as b-sitosterol)

**Indication** Periodontal disease(gingivitis, periodontosis)

**Dosage & Administration** Initial dose(2weeks) : 2 tablets 3 times daily before meal  
Maintenance dose : 1 tablet 3 times daily before meal

**Packing unit** 30T / Box, 240T / Box, 360T / Bottle



#### FURABERIN QX Tablets

**Composition** (Each tablet contains)  
Acrinol 14.0mg, Berberine Chloride 36.0mg, Scopolia Ex. 5.0mg, Bismuth Subnitrate 150.0mg, Ursodesoxycholic acid 5.0mg

**Indication** Diarrhea, diarrhea with abdominal pain, indigestion, watery stool and vomiting

**Dosage & Administration** 3 times daily after meal  
• Over 15 yrs : 2 tablets per one time  
• 8-15 yrs : 1 tablet per one time

**Packing unit** 20T / Box



#### CAROL-F Tablets

**Composition** (Each tablet contains)  
Ibuprofen 200mg

**Indication** Fever and pain due to cold, headache, dysmenorrhea(period pain), posttraumatic anti-inflammatory and analgesic effect, rheumatoid arthritis, osteoarthritis, dorsalgia(backache)

**Dosage & Administration** 1 or 2 tablets every 4-6 hours  
Up to 6 tablets per day can be administered.

**Packing unit** 10T / Box, 30T / Bottle, 100T / Bottle, 300T / Bottle



#### CAROL Syrup

**Composition** (1mL contains) Ibuprofen 20mg

**Indication** Fever and pain due to cold, headache, neuralgia, myalgia, dysmenorrhea, strains pain, dental pain, arthralgia and rheumatic pain

**Dosage & Administration** • Adults 10-20mL/time, 2-4 times/day • 11-14 yrs 10-13mL/dose  
• 7-10 yrs 8-10mL/dose • 3-6 yrs 5-8mL/dose  
• 1-2 yrs 3-5mL/dose

**Packing unit** 90mL / Bottle, 500mL / Bottle

#### NACOL PLUS Syrup

**Composition** (90mL contain) Acetaminophen 1000mg, Chlorpheniramine maleate 8.3mg, Tifeptide citrate 66.6mg, dl-Methylephedrine hcl 83.3mg, Caffeine 83.83mg

**Indication** Relief of common cold( fever, chills, sore throat, cough, sputum, sneezing, rhinorrhea, headache, arthralgia and myalgia)

**Dosage & Administration** One time dose 4 times a day in 30mins after meal and bed time  
• 11-15 yrs 10mL/dose • 7-11 yrs 7.5mL/dose  
• 3-7 yrs 5mL/dose • 2-3 yrs 3.75mL/dose

**Packing unit** 90mL / Bottle

#### KENOFEN Gel

**Composition** (1g contains) Ketoprofen 30mg

**Indication** Degenerative arthritis, shoulder arthritis, tendinitis, epicondylitis of the humerus, muscle pain and post-traumatic swelling / pain

**Dosage & Administration** Apply 1-4 times a day to the affected area

**Packing unit** 50g / Tube, 200g / Tube

#### PREPAIN Ointment

**Composition** (1g contains)  
Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg, l-Menthol 5mg

**Indication** Temporary relief of pain, itching, edema(swelling), bleeding caused by anal fissure, hemorrhoids and disinfection

**Dosage & Administration** Adults and adolescents (> Over 15yrs)  
Application : Directly apply to the affected area in 3 times a day.  
Injection : Inject into the rectum within 2g per time, maximum 3 times a day.

**Packing unit** 28g / Tube

#### PREPAIN MILD Ointment

**Composition** (1g contains)  
Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg

**Indication** Temporary relief of pain, itching, edema(swelling), bleeding caused by anal fissure, hemorrhoid and disinfection

**Dosage & Administration** Adults and adolescents (> Over 15yrs)  
Application : Directly apply to the affected area within 3 times a day.  
Injection : Inject into the rectum within 2g per time, maximum 3 times a day.

**Packing unit** 28g / Tube

#### PREPAIN MILD Suppositories

**Composition** (Each suppository contains)  
Lidocaine 60mg, Tetrahydrozoline HCl 1mg, Chlorhexidine HCl 5mg

**Indication** Temporary relief of pain, itching, edema(swelling), bleeding caused by anal fissure, hemorrhoid and disinfection

**Dosage & Administration** Adults and adolescents (> Over 15yrs)  
Inject into the rectum 1 suppository per time, 3 times a day.

**Packing unit** 10 suppositories / Box




#### PREPAVEIN Capsules

**Ingredient** (Each capsule contains)  
Diosmin 300mg

**Indication** Hemorrhoid, improvement of various symptoms(such as pressure, pain, edema(swelling), etc.) due to following diseases; varix, venous insufficiency(including during pregnancy), postphlebotic syndrome, hemorrhagic symptoms due to capillary weakness; purpura

**Dosage & Administration** 300mg as diosmin twice a day, orally(after lunch or dinner)

**Packing unit** 20C / Box



### Non-steroidal Topical Analgesics



### Hemorrhoid Treatment



### Hemorrhoid Treatment



### Hemorrhoid Treatment



### Hemorrhoid Treatment



### Wound Healing Hydrocolloid Dressing




### Wound Healing Hydrocolloid Dressing



### Wound Healing Hydrocolloid Dressing



### Wound Healing Hydrocolloid Dressing



## MEDITOUCH H SUN PROTECTION

- Material\_** Hydrocolloid dressing
- Features\_**
- Sun protection product(SPF 50+)
  - Waterproof
  - 100% Hydrocolloid(odorless, colorless, preservative free)
- Indication\_** Thin wound(abrasion, laceration, etc.)
- Packing unit\_** Sheet : 2 Sheets (10.5 x 10.5cm), 10 Sheets (10 x 10cm), 10 Sheets (20 x 20cm)  
 Dot : 48 Dots (1.2cm x 30 Dots, 1.0cm x 18 Dots)  
 2,100 Dots (1.0cm x 42 Dots x 50EA)  
 2,100 Dots (1.2cm x 42 Dots x 50EA)

## MEDITOUCH H PLUS

- Material\_** Hydrocolloid dressing
- Features\_**
- Semi-permeable and consists of an outer layer of polyurethane film that controls moisture evaporation and a hydrocolloid layer that absorbs secretions from the wound and protects the wound
  - Soft when attaching or take off
  - Can be cut to fit the size of the wound (sheet type)
- Indication\_** Thin wound(abrasion, laceration etc)
- Packing unit\_** Sheet : 2 Sheets (10cm x 10cm)  
 Dot : 48 Dots (1.2cm x 30 Dots, 1.0cm x 18 Dots)

## MEDITOUCH H BABY DOT

- Material\_** Hydrocolloid dressing
- Features\_**
- UV protection product (UPF 50+)
  - Waterproof
  - Contains Dexpanthenol (moisturizing effect)
- Indication\_** Wounds such as abrasion, low or moderate exudates wound
- Packing unit\_** 48 Dots (1.2cm x 30 Dots, 1cm x 18 Dots)

## MEDITOUCH H CARE

- Material\_** Hydrocolloid dressing
- Features\_**
- UV protection product (UPF 50+)
  - Waterproof
  - Contains Dexpanthenol (moisturizing effect)
- Indication\_** Wounds such as abrasion, low or moderate exudates wound
- Packing unit\_** 10.5 x 10.5cm

## MEDITOUCH H BAND

- Material\_** Hydrocolloid dressing
- Features\_**
- Hydrocolloid adhesive wet band
  - Good adhesion due to thin rim
  - Light shower with waterproof function

**Packing unit\_** MEDITOUCH H MIX : 7EA / Box (3EA : 2 x 6.3cm, 2EA : 3.1 x 4.4cm, 2EA : 2.5 x 6cm)

## MEDITOUCH LIQUID

- Material\_** Polyurethane, Alcohol, Ethylacetate
- Features\_**
- Waterproof protective film for cracked wounds in flexion areas such as fingers, toes, etc.
  - Hygienic with 2 more exchange brushes
  - Refreshing with peppermint scent added

**Indication\_** Small wounds

**Packing unit\_** 8g / Bottle

## MEDITOUCH A

- Material\_** Polyurethane foam dressing
- Features\_**
- Self-adhesive, convenient dressing fixation
  - Easy to attach to curved areas or wounds with a lot of movement
  - Additional support protects the wound surface and minimizes skin troubles
- Indication\_** 1mm : Thin wound(abrasion, laceration etc)  
 5mm : Heavy wound
- Packing unit\_** 1mm : [S] : 3 Sheets (4 x 9cm)  
 [L] : 1 Sheet (10 x 10cm)  
 5mm : 1 Sheet (10 x 10cm)

## MEDITOUCH ELASTIC BAND

- Material\_** Polyurethane foam dressing band
- Features\_**
- Wound protection with waterproof band
  - Polyurethane foam provides a humid environment
  - Smooth elasticity with polyurethane film
- Indication\_** Thin wound(abrasion, laceration etc)
- Packing unit\_** [S] : 3 Sheets (5.5 x 7.5cm (Foam : 2.X 3.5cm))  
 [M] : 3 Sheets (7.5 x 10cm (Foam : 3 x 5cm))  
 [General] : 7 Sheets (3 x 7cm (Foam 1.5 x 3.4cm))  
 [Mixed] : 3 Sheets [General], 2 Sheets [S],  
 3 Sheets [Oval] (3.5 x 7cm (Foam 2 x 2.5cm))

### Wound Healing Hydrocolloid Band



### Wound Healing Liquid



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing





### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



## MEDITOUCH MOM'S HEART

**Material\_** Polyurethane foam dressing band

**Features\_**

- Wound protection with waterproof band
- Polyurethane foam provides a humid environment
- 3mm thick foam dressing that is convenient to use as an integrated unit

**Packing unit\_** 2 Sheets (Foam 5 x 5cm)

## MEDITOUCH BURN PROTECTION

**Material\_** Polyurethan foam dressing

**Features\_**

- 2mm / 5mm thick hydrophilic polyurethane foam with waterproof film
- Contains silver nitrate(antibacterial action) and active carbon(odour absorption)

**Indication\_** Wounds with lots of exudates such as burn

**Packing unit\_** 2mm : 3 Sheets (5 x 7cm)  
5mm : 1 Sheet (10 x 10cm)

## MEDITOUCH 2, MEDITOUCH 5

**Material\_** Polyurethane foam only

**Indication\_** It is applied to wounds that exudate such as abrasions, burns (1st to 2nd degree), pressure sores, venous ulcers, diabetic ulcers, donor wounds, and wounds from general surgical operations to prevent contamination and protect, and for secondary healing purposes.

**Size\_** 2mm : 10 x 10cm, 5 x 10cm, 5 x 20cm, 5 x 30cm  
5mm : 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 35 x 150cm

## MEDITOUCH HAND

**Material\_** Polyurethane foam dressing with hand support structure

**Indication\_** Wounds such as cuts, scrapes, abrasions burns (1 to 2 degrees), surgical wounds, pressure sores (stages 1 to 4), and exudative wounds such as diabetic ulcer

**Size\_** 31 x 36cm (2 sizes of hand-shaped molding : Small, Large)

## MEDITOUCH F

**Material\_** 2mm, 5mm thick polyurethane foam with waterproof film

**Indication\_** Abrasions, burns (1st to 2nd degree), pressure sores, venous ulcers, diabetic ulcers, donor wounds, wounds from general surgery

**Size\_** 7.5 x 10cm (Foam 3.5 x 5cm), 9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 9 x 35cm (Foam 5 x 30cm), 14 x 14cm (Foam 10 x 10cm)

## MEDITOUCH AD / AD CIRCLE

**Material\_** 2mm thick silicone adhesive polyurethane foam dressing

**Indication\_** It is applied to wounds that exudate such as abrasions, burns (1st to 2nd degree), pressure sores, venous ulcers, diabetic ulcers, donor wounds, and wounds from general surgical operations to prevent contamination and protect, and for secondary healing purposes, and breast surgery, fixing drain tube (AD Circle)

**Size\_** Sheet : 5 x 10cm, 5 x 20cm, 10 x 10cm, 10 x 20cm, 20 x 20cm  
Circle : 6.5 x 1.6cm (perforated)

## MEDITOUCH NET

**Material\_** 5mm Polyurethane foam + NET film layer

**Indication\_** Absorption and protection of secretions at the wound site

**Size\_** 10 x 10cm, 10 x 20cm, 20 x 20cm, 30 x 55cm

## MEDITOUCH BORDER

**Material\_** 3mm thick polyurethane foam with silicone film attached to the contact layer

**Indication\_** Absorption and protection of secretions at the wound site

**Size\_** 5.5 x 6.5cm (Foam 3 x 4cm), 7.5 x 7.5cm (Foam 5 x 5cm), 10 x 10cm (Foam 6.5 x 6.5cm), 9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### MEDITOUCH BORDER THIN

**Material\_** 2mm thick border type foam dressing with soft silicone attached to the contact layer

**Indication\_** It is a wound dressing to protect exudative wounds

**Size\_** 5.5 x 6.5cm (Foam 3 x 4cm), 9 x 9cm (Foam 5 x 5cm), 10 x 10cm (Foam 7 x 7cm), 9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

### MEDITOUCH BORDER POST-OP

**Material\_** 1.7mm thick adhesive border type silicone gauze dressing

**Indication\_** Absorption and protection of secretions at the wound site and affected area

**Size\_** 5.5 x 6.5cm (Pad 3 x 4), 7.5 x 7.5cm (Pad 5 x 5), 9 x 15cm (Pad 5 x 10cm), 9 x 20cm (Pad 5 x 15cm), 9 x 25cm (Pad 5 x 20cm), 9 x 30cm (Pad 5 x 25cm)

### MEDITOUCH ADHESIVE

**Material\_** 2mm thick foam dressing with silicone adhesive

**Indication\_** It is a hydrophilic foam dressing to protect exudative wounds

**Size\_** 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm

### MEDITOUCH CHITOSAN

**Material\_** Non-adhesive polyurethan foam dressing containing chitosan

**Indication\_** It is a hydrophilic wound dressing to protect exudative wounds

**Size\_** 2mm : 5 x 10cm, 5 x 20cm, 5 x 30cm, 10 x 10cm, 10 x 20cm, 20 x 20cm  
5mm : 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 35 x 150cm  
7mm(Roll) : 10 x 65cm, 20 x 100cm

### MEDITOUCH HEEL

**Material\_** 7mm thick non-adhesive polyurethane foam dressing for feet

**Indication\_** It is a wound dressing to protect exudative wounds such as foot ulcer, and cushion for foot cast.

**Size\_** [S] : 13 x 10cm  
[L] : 22 x 11.5cm

### MEDITOUCH H

**Material\_** Hydrocolloid dressing

**Indication\_** It is applied to minor wounds such as abrasion, mild burns, bedsores, leg ulcer, donor wounds, surgery wounds

**Size\_** Sheet : 10 Sheets (10 x 10cm)  
Dot : 2,100 Dots (0.9cm x 42 Dots x 50EA)

### MEDITOUCH SCAR CLEAR

**Material\_** Silicone gel sheet

**Indication\_** Scar management

**Size\_** 5 x 6cm, 6 x 10cm, 10 x 12cm, 12 x 15cm, 15 x 24cm, 4 x 20cm

### MEDITOUCH SCAR GEL

**Material\_** Silicone gel

**Indication\_** Used to protect wounds for the purpose of managing thickened scars and keloid scars caused by general surgery, trauma, burns, etc.

**Packing unit\_** 10g / Tube, 20g / Tube

### Wound Healing Foam Dressing



### Wound Healing Hydrocolloid Dressing



### Scar Care



### Scar Care



# Classification by purpose

Total wound care management


## Burns



## Bedsores



## Minor wounds / Cut



## Surgical wounds



## Foot ulcer / Heel pain



## Finger replantation




## Breast surgery (Procedure)




## Acne / Laser resurfacing



Probiotics




Probiotics



Probiotics



Probiotics



**BIOBABY GOLD Powder**

**Composition\_** Total 1billion CFU/stick (*L. rhamnosus, B. lactis, E. faecium*), Fructooligosaccharide, Zinc, Vit. B1, B6, C (Chocolate cookie flavor)

**Dosage & Administration\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 30 sticks / Box (1.5g / stick)

**BIOBABY GOLD Chewable tablets**

**Composition\_** Total 0.5billion CFU/tablet (*L. rhamnosus, L. casei, L. plantarum, B. lactis, E. faecium*), Fructooligosaccharide, Zinc, Magnesium, Calcium, Vit. B2, B12, C (Strawberry flavor)

**Dosage & Administration\_** 2 tablets a day

**Shelf life\_** 24 months

**Packing unit\_** 30 tablets / Bottle (1g / tablet)

**LACTO GOLD Powder**

**Composition\_** Total 2billion CFU/stick (*L. rhamnosus, B. lactis, E. faecium*), Fructooligosaccharide, Magnesium, Calcium, Vit. B1, B2, B6, C, E (Grape flavor)

**Dosage & Administration\_** 1 stick a day

**Shelf life\_** 24 months

**Packing unit\_** 30 sticks / Box (2g / stick)

**LACTO PRO Powder**

**Composition\_** Total 2billion CFU/stick (*B. bifidum, B. breve, B. animalis ssp. lactis, L. acidophilus, L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Cranberry flavor)

**Dosage & Administration\_** 1 ~ 3 sticks a day

**Shelf life\_** 24 months

**Packing unit\_** 30 sticks / Box (1.5g / stick)

**LACTO LEO Powder**

**Composition\_** Total 2billion CFU/stick (*B. bifidum, B. breve, B. animalis ssp. lactis, L. acidophilus, L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Orange flavor)

**Dosage & Administration\_** 1 ~ 3 sticks a day

**Shelf life\_** 24 months

**Packing unit\_** 30 sticks / Box (1.5g / stick)

**BIOLACT Powder**

**Composition\_** Total 3billion CFU/stick (*L. acidophilus, B. longum, E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

**Dosage & Administration\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 10 sticks / Box (3g / stick)

**BIOLACT FORTE Powder**

**Composition\_** Total 4billion CFU/stick (*L. acidophilus, B. longum, E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

**Dosage & Administration\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 10 sticks / Box (3g / stick)

**BIOLACT EVA Powder**


**Composition\_** Total 3billion CFU/stick (*L. acidophilus, B. longum, E. faecium*), Fructooligosaccharide, Magnesium, Zinc (Cranberry flavor)

**Dosage & Administration\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 10 sticks / Box (1.5g / stick)

Probiotics



Probiotics




Probiotics




Probiotics




Vitamins



Vitamins



Vitamins



**C CARE+ 500** Tablets

Composition\_ Vitamin C 500mg

Dosage & Administration\_ 1 tablet a day

Shelf life\_ 24 months

Packing unit\_ 10 tablets / blister x 4 / Alu-foil bag

**C CARE+ 1000** Tablets

Composition\_ Vitamin C 1,000mg

Dosage & Administration\_ 1 tablet a day

Shelf life\_ 24 months

Packing unit\_ 10 tablets / blister x 4 / Alu-foil bag

**TRI-B ZINC** Tablets

Composition\_ Vitamin B1, B6, B12, Zinc

Dosage & Administration\_ 1 tablet a day

Shelf life\_ 24 months

Packing unit\_ 10 tablets / blister x 3 / Box

[ API ]

Synthesis

- Benidipine hydrochloride
- Ciprofloxacin base
- Donepezil hydrochloride hydrate
- Levofloxacin hemihydrate
- Mosapride citrate dihydrate
- Quetiapine fumarate
- Rabeprazole sodium
- Rivaroxaban
- Rosuvastatin calcium
- Telmisartan
- Topiramate

HA

3M Da(Aseptic)

Vitamins

- Fursultiamine
- Fursultiamine hydrochloride
- Thiamine disulfide
- Riboflavin butyrate

